

GOLTIX 700 SC

UNREGISTERED PRODUCT. FOR EMERGENCY EXEMPTION USE ONLY

This pesticide is ONLY approved for sale, distribution, and use under FIFRA Section 18, Emergency Exemptions, on sugarbeets for the control of glyphosate tolerant Palmer amaranth in Colorado, Idaho, Nebraska, Oregon, and Wyoming.

This product may only be used at or after planting, as a pre-emergence treatment.

ACTIVE INGREDIENT:	%w/w
Metamitron(1,2,4-Triazin-5(4H)-one, 4-amino-3-methyl-6-phenyl)*	58.3%
OTHER INGREDIENTS:	41.7%
Total	100.0%

*Contains 5.84 lbs. of metamitron (CAS No. 41394-05-2) per gallon.
Goltix 700 SC is a suspension concentrate (SC)

KEEP OUT OF REACH OF CHILDREN WARNING / AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.
(If you do not understand the label, find someone to explain it to you in detail.)

Manufactured for:

Makhteshim Agan of North America, Inc. d/b/a ADAMA
8601 Six Forks Road, Suite 300
Raleigh, NC 27615

How can we help? 1-866-406-6262

Emergency Exemption Nos.:

EPA Est. No. 37429-GA-1

Effective Dates: March 30 to May 31, 2025

Following the use period, unused product must be returned to the distributor or ADAMA, and all product must be returned to ADAMA by August 31, 2025.

NET CONTENTS: _____

FIRST AID

IF SWALLOWED:	- Call a poison control center or doctor immediately for treatment advice. - Have person sip a glass of water if able to swallow. - Do not induce vomiting unless told to do so by a poison control center or doctor. - Do not give anything by mouth to an unconscious person.
IF ON SKIN OR CLOTHING:	- Take off contaminated clothing. - Rinse skin immediately with plenty of water for 15-20 minutes. - Call a poison control center or doctor for treatment advice.
IF INHALED:	- Move person to fresh air. - If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. - Call a poison control center or doctor for treatment advice.
Note to Physician: No specific antidote. Treat symptomatically.	
Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-877-250-9291 for emergency medical treatment information.	

In case of spills, fire, leaks or accident call 1-800-535-5053

Optional Text for Label Booklet: [For additional precautionary, handling and use statements, see inside of this booklet.]

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS WARNING

May be fatal if swallowed. Harmful if absorbed through skin or inhaled. Avoid breathing spray mist. Avoid contact with skin, eyes, or clothing. Remove and wash contaminated clothing before reuse. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers (other than mixers and loaders) must wear:

- Long-sleeve shirt and long pants
- Socks
- Shoes
- Waterproof gloves or chemical-resistant gloves such as: Barrier Laminate, Butyl Rubber \geq 14 mils, Nitril Rubber \geq 14 mils, Neoprene Rubber \geq 14 mils, Natural Rubber \geq 14 mils, Polyethylene, Polyvinyl Chloride (PVC) \geq 14 mils, Viton \geq 14 mils.

Mixers/Loaders must wear coveralls in addition to the above PPE.

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

Follow the manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

ENGINEERING CONTROLS STATEMENTS

When handlers use enclosed cabs in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing immediately if they become saturated and the pesticide contacts the body and if pesticide gets inside. Then bathe thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This chemical has properties and characteristics associated with chemicals detected in groundwater. This chemical may leach into groundwater if used in areas where soils are permeable, particularly where the water table is shallow.

This product may impact surface water quality due to runoff of rainwater. This is especially true for poorly draining soils and soils with shallow ground water.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

IMPORTANT: READ BEFORE USE

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or buyer accepts the following Conditions, Disclaimer of Warranties and Limitations of Liability.

USE RESTRICTIONS

Goltix 700 SC is only approved for use in the following states/counties:

State	Counties
Colorado	Adams, Boulder, Larimer, Logan, Morgan, Phillips, Sedgewick, Washington, Weld and Yuma
Idaho	
Nebraska	Banner, Box Butte, Chase, Cheyenne, Dawes, Deuel, Garden, Keith, Kimball, Morrill, Perkins, Scotts Bluff, Sheridan and Sioux
Oregon	Malheur
Wyoming	Big Horn, Fremont, Goshen, Laramie, Park, Platte, and Washakie

- **DO NOT** make more than one application of Goltix 700 SC per year. A single additional application can be made in the event of crop failure.
- **DO NOT** apply Goltix 700 SC through any type of irrigation system.
- **DO NOT** apply by aircraft.
- **DO NOT** apply this product when wind velocity exceeds 15 mph.

- **DO NOT** make ground applications during temperature inversions (need at least 3 mph wind).
- **DO NOT** use sugarbeet leaves for food or feed.
- **When spraying in the vicinity of aquatic areas such as lakes, reservoirs, rivers, permanent streams, marshes or natural ponds, and estuaries:**
 - Apply only during alternate years in fields adjacent to aquatic areas.
 - **DO NOT** apply by ground within 100 feet of aquatic areas.
 - **DO NOT** cultivate within 10 feet of an aquatic area to allow growth of a vegetative filter strip.

AGRICULTURE USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), notification to workers, and restricted-entry interval. The requirements in this box apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of **12 hours**.

PPE required for early entry to treated areas (that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water), is:

- Long-sleeve shirt and long pants
- Socks
- Shoes
- Waterproof or chemical-resistant gloves.

Notify workers of the application by warning them orally and by posting warning signs at entrances to treated areas.

APPLICATION INSTRUCTIONS

Rate and Timing

Apply GOLTIX 700 SC herbicide, with ground application equipment, after planting and prior to crop emergence, as a single pre-emergent (PRE) application at 64 fl oz product/a (2.92 lb ai/a). Apply GOLTIX 700 SC with at least 10 gallons of water per acre.

Incorporate, after ground application, with a ¼ to ½ inch of irrigation or rainfall within 48 hours.

For Fields with Furrow Irrigation:

If no rain is in the forecast within 48 hours of target planting date, do the following on the same day (best) or within no more than 48 hours:

1. Apply GOLTIX 700 SC at 64 fl oz/a to the field, prior to planting sugarbeets.
2. Do a shallow tillage to incorporate GOLTIX 700 SC into the soil.
3. Plant sugarbeets.

Recommendations

- Prior to GOLTIX 700 SC application, it is recommended to kill all emerged vegetation in the field with tillage or a burndown herbicide application. If large weeds are present prior to Goltix 700 SC

application, it is recommended that tillage is used to eliminate large weeds prior to applying Goltix 700 SC so large dead weeds do not prevent Goltix 700 SC from reaching the soil during application.

- For best season-long weed control results, it is recommended that a group 15 herbicide is applied at 2 true leaves. Additional group 15 herbicides may be needed at 6-10 TL to maintain weed control.

Rotational Crop Restrictions

DO NOT plant rotational crops within 30 days of the last application of Goltix 700 SC.

Replanting Instructions

If the initial planting of sugarbeet fails to produce a uniform stand, sugarbeet may be replanted in fields treated with GOLTIX 700 SC alone. When tank mixing with a labeled product, refer to the replant instructions for that product. **DO NOT** replant treated fields with any crop at intervals inconsistent with the “**Rotational Crop Restrictions**” section of this label. Where a tank mix is used, refer to the product’s labels for any additional replant instructions.

If sugarbeet is replanted in fields where GOLTIX 700 SC was previously applied, an additional application of GOLTIX 700 SC may be applied at 64 fl oz/a to the field, prior to emergence. Make the additional application no sooner than 20 days after the previous application was made to the initial crop.

Tank Mix Instructions

GOLTIX 700 SC may be applied in tank mix combinations with labeled rates of other products provided these other products are labeled for the same timing and method of application for the sugarbeet to be treated. The tank mix partner must be used in accordance with the label limitations and precautions. No label dosage rates may be exceeded. GOLTIX 700 SC cannot be mixed with any product containing a label prohibition against such mixing. It is the pesticide user’s responsibility to ensure that all products are registered for the intended use. Read and follow the applicable restrictions and limitations and directions for use on all product labels involved in tank mixing. Users must follow the most restrictive directions for use and precautionary statements of each product in the tank mixture.

Compatibility Testing

A jar test is recommended prior to tank mixing to ensure compatibility of GOLTIX 700 SC and other pesticides. Use a clear glass quart jar with lid and mix the tank mix ingredients in their relative proportions. Invert the jar containing the mixture several times and observe for approximately 30 minutes. If mixture balls-up, forms flakes, sludges, gels, oily films or layers, or other precipitates, it is not a compatible tank mix combination.

Cleaning Instructions

After using GOLTIX 700 SC, triple rinse the spray equipment and clean with a commercial tank cleaner before using equipment for new application. Make sure any rinsate or foam is thoroughly removed from spray tank and boom. Rinsate may be disposed following the pesticide disposal directions on this label.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE:

Store in a cool, dry place and in such a manner as to prevent cross contamination with other pesticides, fertilizers, food and feed. Store in original container and out of reach of children, preferably in a locked storage area.

PESTICIDE DISPOSAL:

Open dumping is prohibited. Pesticide wastes are toxic. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the hazardous waste representative at the nearest EPA Regional Office for guidance.

CONTAINER HANDLING:

NONREFILLABLE CONTAINERS:

Rigid, Nonrefillable containers that are too large to shake (i.e. with capacities greater than 5 gallons or 50 pounds).

Nonrefillable container. Do not reuse or refill this container. Triple rinse or pressure rinse container (or equivalent) promptly after emptying.

Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Offer for recycling or reconditioning if available, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

Pressure rinse as follows: Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or a mix tank or collect rinsate at about 40 PSI for at least 30 seconds. Drain for 10 seconds after the flow begins to drip. Once container is rinsed, offer for recycling if available, or puncture and dispose of in a sanitary landfill.

LIMITATION OF WARRANTY AND LIABILITY

Read the entire directions for use, conditions of warranties and limitations of liability before using this product. If terms are not acceptable, return the unopened product container at once.

By using this product, user or buyer accepts the following **CONDITIONS, DISCLAIMER OF WARRANTIES** and **LIMITATIONS OF LIABILITY**.

CONDITIONS: The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of ADAMA. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: To the extent consistent with applicable law, ADAMA makes no other warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond the statements made on this label. No agent of ADAMA is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. To the extent consistent with applicable law, ADAMA disclaims any liability whatsoever for special, incidental or consequential damages resulting from the use or handling of this product.

LIMITATIONS OF LIABILITY: To the extent consistent with applicable law, the exclusive remedy of the user or buyer for any and all losses, injuries or damages resulting from the use or handling of this product, whether in contract, warranty, tort, negligence, strict liability or otherwise, shall not exceed the purchase price paid or at ADAMA's election, the replacement of product.

DRAFT – 09Oct24